

Work Order ID 80384

February-17-12 2:17:50 PM

80384

PRELIMINARY ISSUE

Page 1

Item ID: D4522-047

Accept

N900040100

Setup

Start

NS1

Revision ID: PRELIM

Item Name: Base, Vertical Swing Arm

Stop

NS2

Start Date: 17/02/2012 Start Qty: 2.00

2

Cust Item ID:

Required Date: 02/03/2012 Req'd Qty: 2.00

2

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run

Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D4522

PA3

0.00

0.00

0.00

0.00

100

Bandsaw

Jeaspa Bandsaw

Memo

CUT BLANKS 2.00" LONG

105

105

Outsource5

Outsource process - Machining

Memo

Issue P/O:

16235

Machine as per Dwg

Possible Supplier: DAN'S PRECISION

SEND BLANKS WITH P/O

Conformity sheet required

PD 21 FEB 2012

CH 12/02/21 (2)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

80384

February-17-12 2:17:50 PM

Accept

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 17/02/2012 **Start Qty:** 2.00

2

Cust Item ID:

Required Date: 02/03/2012 **Req'd Qty:** 2.00

2

Customer:

Reference:

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Operation Description

Set Up/ Run Hours

Tool ID	Tool #	Plan Code
---------	--------	-----------

Accept Qty	Reject Qty	Reject Number	Insp. Stamp
------------	------------	---------------	-------------

110

Receive & Inspect for Damage & Mat'l Certs

0.00

110

Packaging

Memo

0.00

Packaging

Ensure certificate of conformity is attached

120

QC6- Inspect dimensions to drawing

0.00 - ~~inspects~~ to PZ}

120

QC

Memo

0.00

Quality Control

DIMENSIONAL CHECK,

0.00

122

Chemical Conversion Coat per QSI005 4.1

0.00

122

HandFinish

Memo

Hand Finishing

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 80384

80384

Page 3

February-17-12 2:17:50 PM

Item ID: D4522-047 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: PRELIM Stop ***NS2***
 Item Name: Base, Vertical Swing Arm
 Start Date: 17/02/2012 Start Qty: 2.00 ***2*** Cust Item ID:
 Required Date: 02/03/2012 Req'd Qty: 2.00 ***2*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
124	QC3- Inspect Part Finish	0.00							
124						2x	0		12/04/12
QC	Memo	0.00							
Quality Control									
126		0.00							
126						2x	0		12/04/12
Small Fab	Memo	0.00							
Small Fab	INSERT HELICOIL								
128	QC5- Inspect part completeness to step on W/O	0.00							
128									
QC	Memo	0.00							
Quality Control									

POSITIVE RECALL

EFFECTIVE 12/02/12 AUTH h
 RELEASED 12/06/12 DATE DAS 16
 8-23

to Rev B Day

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 80384

80384

Page 4

February-17-12 2:17:50 PM

Item ID: D4522-047 Accept *N900040100* Setup Start *NS1*
 Revision ID: PRELIM Stop *NS2*
 Item Name: Base, Vertical Swing Arm
 Start Date: 17/02/2012 Start Qty: 2.00 *2* Cust Item ID:
 Required Date: 02/03/2012 Req'd Qty: 2.00 *2* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: _____	0.00							
130									
Packaging	Memo	0.00							
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

203392

12/9/17

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

February-17-12 2:17:55 PM

Page 1

Work Order ID: 80384

80384

Parent Item: D4522-047

D4522-047

Parent Item Name: Base, Vertical Swing Arm

Start Date: 17/02/2012

Required Date: 02/03/2012

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP REV:A NEW ISSUE 12-02-18 JLM VERIFIED:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4522-5P		Purchased	No				Each	0.0000		2			
D4522-5P									**				
BASE, VERTICAL SWING ARM													
M6061T6B2.000X01.25		Purchased	No				f	31.4226		0.332			
0													
M6061T6B2 000X01 250									**				
6061-T6 Bar 2.00 x 1.25													

Handwritten signature and circled 2

PD 21 FEB 2012

Location	Loc Qty	Loc Code
MAT009	31.42263158	
114899	4.15263158	
116623	2.15	
→ 119136	25.12	

MS21209-C0820

Purchased

No

MS21209-C0820

Threaded Insert, 8-32 UNC x 0.33 LG

Each

16.0000

**

0.332 FT

2

Handwritten signature and date 12/04/11

Location	Loc Qty	Loc Code
ST305	16	
120593	16	

4

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -041	QTY -043	P/N	DESCRIPTION
	X		D4522-041	DOOR LATCH ASS'Y, LEFT, OEM
		X	D4522-043	DOOR LATCH ASS'Y, LEFT
1	1	1	D4522-045	BASE, HORIZONTAL SWING ARM
2	1	1	D4522-047	BASE, VERTICAL SWING ARM
3	1	1	D4522-049	BASE, LATCH SHAFT
4	1		D4522-1	BASE PLATE, OEM
5	1	1	D4522-11	HANDLE SHAFT ARM
6	1	1	D4522-13	HANDLE SHAFT ADAPTER
7	2	2	D4522-17	LINKAGE
8	2	2	D4522-19	LINKAGE
9	2	2	D4522-21	LINKAGE
10	1	1	D4522-25	LATCH SHAFT
11		1	D4522-31	BASE PLATE
12	1	1	D4522-9	VERTICAL SWING ARM
13	1	1	D4529-041	HORIZONTAL SWING ARM
14	1	1	D4530-041	LATCH ROLLER
15	1	1	D4531-1	LATCH SHAFT BRACKET
16	1	1	D4574	INTERIOR L-HANDLE, MODIFIED
17	1	1	LE045005S	EXTENSION SPRING (LEE SPRING)
18	1	1	MS-20995-C20	LOCK WIRE
19	1	1	MS16562-193	SPRING PIN
20	1	1	MS16562-223	SRPING PIN
21	1	1	MS16562-227	SPRING PIN
22	1	1	MS16624-4062	EXTERNAL RETAINING RING
23	1	1	MS20392-1P41	DRILLED PIN
24	1	1	MS20392-1R27P	DRILLED PIN
25	1	1	MS20392-1R37P	DRILLED PIN
26	4	4	MS20392-1R9P	DRILLED PIN
27	3	3	MS20392-2R41P	DRILLED PIN
28	7	7	MS24665-151	COTTER PIN
29	2	2	MS24665-155	COTTER PIN
30	6		MS24671-14	SCREW, FL-HD, HEX, #8
31	1	1	MS24674-13	DRILLED CAP SCREW, #10
32		6	MS51957-43	SCREW, PN-HD, #8
33	5	5	NAS1149-C-N432-R	FLAT WASHER
34	1	1	NAS42DD628FC	SPACER
35	1	1	T032-180-156L	TORSION SPRING

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY PER DART QSI 044
- 7) WEIGHT: 2.0 lbs
- 8) INSTALL ALL COTTER PINS AND LOCK WIRE IN ACCORDANCE WITH MS33540
- 9) OEM VERSION DEPICTED IN DRAWING
- 10) SHEETS 22 -24 ARE FOR REFERENCE ONLY AND ARE ONLY **RECOMMENDED** ASSEMBLY STEPS



D4522-043 DOOR LATCH ASSY, LEFT

D4522-041 DOOR LATCH ASSY, LEFT, OEM

PRELIMINARY A3
12.02.15 (RP)

PA3	CHANGES PAGES 4-5, 8-11, 19-21 AS INDICATED	RP	12.02.15
PA2	ADDED NON-OEM VERSIONS	RP	12.01.10
PA1	PRELIMINARY	RP	11.12.21
REV.	DESCRIPTION	BY	DATE
DESIGN	RP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED	CP	DRAWING NO. D4522	REV. PA3
MFG. APPR.			SHEET 1 OF 24
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	NTS
DATE	12.02.15	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____




NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

80384



D4522-041 DOOR LATCH ASSY, LEFT, OEM



D4522-043 DOOR LATCH ASSY, LEFT

PRELIMINARY A3
12.02.15 (RP)

DESIGN	RP	DART AEROSPACE LTD	
DRAWN	RP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CP	DRAWING NO. D4522	REV. PA3
MFG. APPR.			SHEET 2 OF 24
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	NTS
DATE	12.02.15	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

[illegible]

DESIGN	RP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED	CP	DRAWING NO.	REV. PA3
WFG. APPR.		D4522	SHEET 3 OF 24
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	NTS
DATE	12.02.15	COPYRIGHT © 2012 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

80384



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

00384



NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, .125 THICK
PER AMS 4025 OR AMS 4027 OR ASTM B209
REF M6061T6S.060
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT GLOSS GREY (4.3.5.15) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI044
- 7) WEIGHT: 0.4 lbs



D4522-31 BASE PLATE

DESIGN	RP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED	CP	DRAWING NO. D4522	REV. PA3
MFG. APPR.			SHEET 5 OF 24
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	NTS
DATE	12.02.15	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____




Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

80384

ITEM	QTY	P/N	DESCRIPTION
1	1	D4522-3	BASE, HORIZONTAL SWING ARM
2	2	MS21209-C0820	THREADED INSERT, 8-32 UNC X 0.33 LG



NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM PER AMS 4025 OR AMS 4027 OR ASTM B209 REF M6061T6S.060
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI044 6.1
- 7) WEIGHT: 0.07 lbs

D4522-045 BASE, HORIZONTAL SWING ARM

PRELIMINARY A3
12.02.15 (RP)

DESIGN	RP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED	CP	DRAWING NO. D4522	REV. PA3 SHEET 6 OF 24
MFG. APPR.		TITLE DOOR LATCH ASSY (412)	SCALE NTS
APPROVED		COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DE APPR.			
DATE	12.02.15		

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

80384





ITEM	QTY	P/N	DESCRIPTION
1	1	D4522-5	BASE, VERTICAL SWING ARM
2	2	MS21209-C0820	THREADED INSERT, 8-32 UNC X 0.33 LG



VIEW G-G D4



VIEW H-H C4



D4522-047 BASE, VERTICAL SWING ARM

NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM PER AMS 4025 OR AMS 4027 OR ASTM B209 REF M6061T6S.060
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI044 6.1
- 7) WEIGHT: 0.14 lbs

PRELIMINARY A3
12.02.15 (RP)

DESIGN	RP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED	CP	DRAWING NO. D4522	REV. PA3 SHEET 7 OF 24
MFG. APPR.		TITLE DOOR LATCH ASSY (412)	SCALE NTS
APPROVED		<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	
DE APPR.			
DATE	12.02.15		

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____





Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

80384

ITEM	QTY	P/N	DESCRIPTION
1	1	D4522-7	BASE, LATCH SHAFT
2	2	MS21209-C0820	THREADED INSERT, 8-32 UNC X 0.33 LG



NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM PER AMS 4025 OR AMS 4027 OR ASTM B209
REF M6061T6S.060
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI044 6.1
- 7) WEIGHT: 0.16 lbs

D4522-049 BASE, LATCH SHAFT**PRELIMINARY A3**
12.02.15 (RP)

DESIGN	RP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED	CP	DRAWING NO. D4522	REV. PA3 SHEET 8 OF 24
MFG. APPR.		TITLE DOOR LATCH ASSY (412)	SCALE NTS
DE APPR.		COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	12.02.15		

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector





Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

80384



NOTES:

- 1) MATERIAL: AISI 303 SS BAR PER ASTM A582
REF DART SPEC M303B OR
AISI 304/316 SS BAR OR PLATE
PER ASTM A276 OR ASTM A240
REF DART SPEC M304B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI044 6.1
- 7) WEIGHT: 0.19 lbs

D4522-9 VERTICAL SWING ARM

PRELIMINARY A3
12.02.15 (RP)

DESIGN	RP	DART AEROSPACE LTD	
DRAWN	RP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CP	DRAWING NO.	REV. PA3
MFG. APPR.		D4522	SHEET 8 OF 24
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	NTS
DATE	12.02.15	COPYRIGHT © 2012 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector



Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____




NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


80384



VIEW J-J C4



VIEW K-K



NOTES:

- 1) MATERIAL: AISI 303 SS BAR PER ASTM A582
REF DART SPEC M303B OR
AISI 304/316 SS BAR OR PLATE
PER ASTM A276 OR ASTM A240
REF DART SPEC M304B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI044 6.1
- 7) WEIGHT: 0.14 lbs

D4522-11 HANDLE SHAFT ARM

PRELIMINARY A3
12.02.15 (RP)

DESIGN	RP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED	CP	DRAWING NO. D4522	REV. PA3
MFG. APPR.		TITLE DOOR LATCH ASSY (412)	SHEET 10 OF 24
APPROVED		SCALE	NTS
DE APPR.		COPYRIGHT © 2012 BY DART AEROSPACE LTD	
DATE	12.02.15	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

80384

**NOTES:**

- 1) MATERIAL: AISI 303 SS ROUND BAR PER ASTM A582
REF DART SPEC M303R1.00 OR
AISI 304/316 SS ROUND BAR PER ASTM A276
REF DART SPEC M304R1.000
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: INDENTIFY PER QSI044 6.1
- 7) WEIGHT: 0.08 lbs

D4522-13 HANDLE SHAFT ADAPTER

PRELIMINARY A3
12.02.15 (RP)

DESIGN	RP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED	CP	DRAWING NO. D4522	REV. PA3
MF'G. APPR.			SHEET 11 OF 24
APPROVED		TITLE DOOR LATCH ASSY (412)	SCALE NTS
DE APPR.		COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	12.02.15		

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

80384

**D4522-17 LINKAGE****NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET, ANNEALED, 2B FINISH
REF DART SPEC M304S16GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI044 6.1
- 7) WEIGHT: 0.01 lbs

DESIGN	RP	DART AEROSPACE LTD	
DRAWN	RP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CP	DRAWING NO.	REV. PA3
MFG. APPR.		D4522	SHEET 12 OF 24
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	NTS
DATE	12.02.15	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

80384

**D4522-19 LINKAGE****NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET, ANNEALED, 2B FINISH
REF DART SPEC M304S16GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI044 6.1
- 7) WEIGHT: 0.01 lbs

DESIGN	RP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED	CP	DRAWING NO. D4522	REV. PA3 SHEET 13 OF 24
MFG. APPR.		TITLE DOOR LATCH ASSY (412)	SCALE NTS
APPROVED		COPYRIGHT © 2012 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	
DE APPR.			
DATE	12.02.15		

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

80384



D4522-21 LINKAGE

NOTES:

- 1) MATERIAL: AISI 304/316 SS SHEET, ANNEALED, 2B FINISH
REF DART SPEC M304S12GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI044 6.1
- 7) WEIGHT: 0.02 lbs

DESIGN	RP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED	CP	DRAWING NO. D4522	REV. PA3
MFG. APPR.			SHEET 14 OF 24
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	NTS
DATE	12.02.15	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector



Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

80384

5/16-18 UNC-2B
0.60 DP $\phi 0.375$
 $\phi 0.370$ **D4522-25 LATCH SHAFT****NOTES:**

- 1) MATERIAL: AISI 303 SS ROUND BAR PER ASTM A582
REF DART SPEC M303B0.375 OR
AISI 304/316 SS ROUND BAR PER ASTM A276
REF DART SPEC M304R0.375
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A

DESIGN	RP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED	CP	DRAWING NO. D4522	REV. PA3
MFG. APPR.		TITLE DOOR LATCH ASSY (412)	SHEET 15 OF 24
APPROVED		SCALE	NTS
DE APPR.		COPYRIGHT © 2012 BY DART AEROSPACE LTD	
DATE	12.02.15	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

80384

ITEM	QTY -042	QTY -044	P/N	DESCRIPTION
	X		D4522-042	DOOR LATCH ASS'Y, RIGHT, OEM
		X	D4522-044	DOOR LATCH ASS'Y, RIGHT
1	1		D4522-045	BASE, HORIZONTAL SWING ARM
2	1		D4522-047	BASE, VERTICAL SWING ARM
3	1		D4522-049	BASE, LATCH SHAFT
4	1	1	D4522-10	VERTICAL SWING ARM
5	1	1	D4522-12	HANDLE SHAFT ARM
6	1	1	D4522-13	HANDLE SHAFT ADAPTER
7	2	2	D4522-17	LINKAGE
8	2	2	D4522-19	LINKAGE
9	1		D4522-2	BASE PLATE, OEM
10	2	2	D4522-21	LINKAGE
11	1	1	D4522-25	LATCH SHAFT
12		1	D4522-31	BASE PLATE
13	1	1	D4529-041	HORIZONTAL SWING ARM
14	1	1	D4530-041	LATCH ROLLER
15	1	1	D4531-1	LATCH SHAFT BRACKET
16	1	1	D4574	INTERIOR L-HANDLE, MODIFIED
17	1	1	LE045005S	EXTENSION SPRING (LEE SPRING)
18	1	1	MS-20995-C20	LOCK WIRE
19	1	1	MS16562-193	SPRING PIN
20	1	1	MS16562-223	SRPING PIN
21	1	1	MS16562-227	SPRING PIN
22	1	1	MS16624-4062	EXTERNAL RETAINING RING
23	1	1	MS20392-1P41	DRILLED PIN
24	1	1	MS20392-1R27P	DRILLED PIN
25	1	1	MS20392-1R37P	DRILLED PIN
26	4	4	MS20392-1R9P	DRILLED PIN
27	3	3	MS20392-2R41P	DRILLED PIN
28	7	7	MS24665-151	COTTER PIN
29	2	2	MS24665-155	COTTER PIN
30	6		MS24671-14	SCREW, FL-HD, HEX, #8
31	1	1	MS24674-13	DRILLED CAP SCREW, #10
32		6	MS51957-43	SCREW, PN-HD, #8
33	5	5	NAS1149-C-N432-R	FLAT WASHER
34	1	1	NAS42DD628FC	SPACER
35	1	1	T032-180-156L	TORSION SPRING

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY PER DART QSI 044
- 7) WEIGHT: 2.0 lbs
- 8) INSTALL ALL COTTER PINS AND LOCK WIRE IN ACCORDANCE WITH MS33540
- 9) OEM VERSION DEPICTED IN DRAWING
- 10) SHEETS 22 -24 ARE FOR REFERENCE ONLY AND ARE ONLY **RECOMMENDED** ASSEMBLY STEPS



D4522-042 DOOR LATCH ASSY, RIGHT, OEM

D4522-044 DOOR LATCH ASSY, RIGHT

PRELIMINARY A3
12.02.15 (RP)

DESIGN	RP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED	CP	DRAWING NO. D4522	REV. PA3
MFG. APPR.			SHEET 16 OF 24
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	NTS
DATE	12.02.15	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____




NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

80384



D4522-042 DOOR LATCH ASSY, RIGHT, OEM



D4522-044 DOOR LATCH ASSY, RIGHT

PRELIMINARY A3
12.02.15 (RP)

DESIGN	RP	DART AEROSPACE LTD	
DRAWN	RP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CP	DRAWING NO. D4522	REV. PA3
MFG. APPR.		SHEET 17 OF 24	
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	NTS
DATE	12.02.15	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Isometric View Labels:

- D4530-041 LATCH ROLLER
- D4531-1 LATCH SHAFT BRACKET
- D4522-12 HANDLE SHAFT ARM
- D4522-049 BASE, LATCH SHAFT
- D4522-10 VERTICAL SWING ARM
- D4522-25 LATCH SHAFT
- D4522-047 BASE, VERTICAL SWING ARM
- D4522-17 LINKAGE 2 PL
- D4529-041 HORIZONTAL SWING ARM
- D4522-045 BASE, HORIZONTAL SWING ARM
- D4522-21 LINKAGE 2 PL
- D4522-19 LINKAGE 2 PL

Exploded View Labels:

- 2 PL (33, 28, 25)
- 2 PL EA (28, 26)
- 2 PL (7)
- 2 PL (30, 3)
- 11
- 35 15
- 19
- 14
- 21
- 28 23
- 18 31
- 20 16
- 6
- 22
- 5
- 4
- 27
- 34
- 9
- 17
- 27 29
- 10
- 8
- 1
- 30
- 24 28 33
- 2 PL
- 2 PL EA (26, 33, 28)
- 2 PL (10)
- 2 PL (2, 30)

Section Views:

- SECTION D-D B5:** NAS1149-C-N432-R FLAT WASHER
- SECTION E-E B5:** NAS1149-C-N432-R FLAT WASHER
- SECTION F-F B5:** (Detailed cross-section of the handle mechanism)

Other Labels:

- SEE DETAIL B
- DETAIL 'B' TORSION SPRING
- BASE PLATE HIDDEN FOR CLARITY
- ** NOTE HANDLE ORIENTATION
- 6
- 35
- B7
- E
- F
- A7
- E
- F
- D
- B8

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D4522	REV. PA3
MFG. APPR.		SHEET 18 OF 21	
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	
DATE	12.02.15	COPYRIGHT © 2012 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

PRELIMINARY A3
12.02.15 (RP)

PRELIMINARY A3
12.02.15 (RP)

DESIGN	DART AEROSPACE LTD	
DRAWN	HAWKESBURY, ONTARIO, CANADA	
CHECKED	DRAWING NO.	REV. PA
MFG. APPR.	D4522	SHEET 18 OF 2
APPROVED	TITLE	SCALE
DE APPR.	DOOR LATCH ASSY (412)	NTS
DATE	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS RECOGNITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT	
	12.02.15	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

80384



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector





Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

80384



NOTES:

- 1) MATERIAL: AISI 303 SS BAR PER ASTM A582
REF DART SPEC M303B OR
AISI 304/316 SS BAR OR PLATE
PER ASTM A276 OR ASTM A240
REF DART SPEC M304B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI044 6.1
- 7) WEIGHT: 0.19 lbs

D4522-10 VERTICAL SWING ARM

PRELIMINARY A3
12.02.15 (RP)

DESIGN	RP	DART AEROSPACE LTD	
DRAWN	RP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CP	DRAWING NO.	REV. PA3
MFG. APPR.		D4522	SHEET 20 OF 24
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	NTS
DATE	12.02.15	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector



Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____




NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


80384



VIEW F-F



VIEW L-L



PRELIMINARY A3
12.02.15 (RP)

NOTES:

- 1) MATERIAL: AISI 303 SS BAR PER ASTM A582
REF DART SPEC M303B OR
AISI 304/316 SS BAR OR PLATE
PER ASTM A276 OR ASTM A240
REF DART SPEC M304B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI044 6.1
- 7) WEIGHT: 0.14 lbs

D4522-12 HANDLE SHAFT ARM

DESIGN	RP	DART AEROSPACE LTD	
DRAWN	RP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CP	DRAWING NO. D4522	REV. PA3
MFG. APPR.		SHEET 21 OF 24	
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	NTS
DATE	12.02.15	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


80384



RECOMMENDED ASSEMBLY STEP #1A
(LATCH SUB-ASSEMBLY)



RECOMMENDED ASSEMBLY STEP #1B
(LINKAGE SUB-ASSEMBLY)



DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D4522	REV. PA3
MFG. APPR.		SHEET 22 OF 24	
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	NTS
DATE	12.02.15	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

80324



RECOMMENDED ASSEMBLY STEP #2
(MAIN COMPONENTS TO BASE PLATE)

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D4522	REV. PA3
MFG. APPR.		SHEET 23 OF 24	
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	NTS
DATE	12.02.15	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

803 84



RECOMMENDED ASSEMBLY STEP #3
(VERTICAL SWING ARM, TENSION SPRING, LATCH LINKAGE)



RECOMMENDED ASSEMBLY STEP #4
(HORIZ SWING ARM & HANDLE)

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. PA3
MFG. APPR.		D4522	SHEET 24 OF 24
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	NTS
DATE	12.02.15	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DAN'S PRECISION TOOLS INC.

2560 Davine Road, Vars, ON K0A3H0
Tel: (613) 835-3097 Fax: (613) 835-3760
support@dans-precision-tools.com

RE: CERTIFICATE OF COMPLIANCE

To: DART AEROSPACE LTD.
1276 Aberdeen Street
Hawkesbury ON K6A-1K7
Tel: (613) 632-5200
Fax: (613) 632-5246

- We Certify that the part listed below meets the intent of the Purchase Order, and all applicable drawings and specifications.

Date : 09-Apr-12
Purchase Order : PO16235
Packing Slip : 11282
Part Number : D4522-5revPA3
Quantity : 2

Per: _____


For Dan's Precision Tools Inc.

DAN'S PRECISION TOOLS INC.

Customer: DART AEROSPACE LTD.

P.O.: PO16235

W/O: _____


Part #: D4522-5 rev PA3

Base, Vertical Swing Arm


Qty: 2

1 of 1





ITEM	QTY -047	P/N	DESCRIPTION
	X	D4522-047	BASE, VERTICAL SWING ARM
1	1	D4522-5	BASE, VERTICAL SWING ARM
2	2	MS21209-C0820	THREADED INSERT, 8-32 UNC X 0.33 LG



VIEW G-G D4



VIEW H-H C4




D4522-047 BASE, VERTICAL SWING ARM

- NOTES:
- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 REF DART SPEC M6061T6B
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: PER DART QSI 044 6.6 OR 6.7
 - 7) WEIGHT: 0.14 lbs


RELEASED
2012-06-13

DESIGN	RP	DART AEROSPACE LTD	
DRAWN	RP	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4522	SHEET 10 OF 23
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	NTS
DATE	12.04.17	<small> COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD </small>	




ITEM	QTY	P/N	DESCRIPTION
	X	D4522-047	BASE, VERTICAL SWING ARM
1	1	D4522-5	BASE, VERTICAL SWING ARM
2	2	MS21209-C0820	THREADED INSERT, 8-32 UNC X 0.33 LG




VIEW G-G D4



VIEW H-H C4





D4522-047 BASE, VERTICAL SWING ARM



80384
RELEASED
2012-03-08

- NOTES:
- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 REF DART SPEC M6061T6B
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: PER DART QSI 044 6.6 OR 6.7
 - 7) WEIGHT: 0.14 lbs

DESIGN	RP	DART AEROSPACE LTD	
DRAWN	RP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RP	DRAWING NO.	REV. A
MFG. APPR.		D4522	SHEET 12 OF 25
APPROVED		TITLE	SCALE
DE APPR.		DOOR LATCH ASSY (412)	NTS
DATE	12.02.24	COPYRIGHT © 2012 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			